



Schunk

Contacts and Flexibles


Types and Variants



Types and Variants



Contacts and Flexibles



Current Leads



*Applicable in electroplating.
Contact cable with
acid-resistant insulation*

Switching Contacts



*Switching contacts for
contactors, power and
motor protection switches
for low-voltage range*

Contacts



*Customized types of contacts
for battery-powered vehicles,
also available with precious
metal-presented*

High Voltage Switching Contacts



Contacts for high voltage switches, e. g. tulip contacts with tungsten copper

Sheet Contact Brush



Wear resistant, rugged contacts out of copper, unevenness at the collector are absorbed by the spring force

High Current Contact



Telescopic current collector for high-currents-transmissions of rotary rolls or sliprings. Also applicable as lightning protection system

Short-Circuit Springs



Special material copper-beryllium applicable in electrical devices and systems

Circuit-Breaker Components



Components for power switches, e. g. contact system out of brass with spring accumulator element

Contact Devices




Contact system for current supply for bus bars, carriages, elevators, welding robots...

Shunt Connections



Shunt connections as potential equalizer, among others for control units or also for wheel grounding for local trains

Laminated Connectors



Press-welded or riveted foil strips, also applicable as complete kits for bus bar connections

Contact Finger



High-quality plastic carriers take up the springy contact fingers for current transmission. Application in electroplating

Current Bars



By means of ultrasonic welding engineering compact and flexible components can be linked. Application in the range of battery-powered vehicles

High Current Connections



E. g. pipe clamp CNC manufactured copper clamps for properly matched installing conditions

Flat Shunt Connectors



Pressed shunt connectors with large cross sections for the transmission of highest currents

Information Hotline

Please do not hesitate to contact us if you have any questions about Schunk Contacts and Flexibles as well as

- Application Technology
- Prototyping
- Test and Laboratory Equipment
- Test Stands
- CAD/CAM/PLM Design/Development
- Materials

Other Products and Services

- Brush Holders
- Systems for Power Transmission
- System Assemblies
- On-site Service
- Oscillation Examinations
- 3D Measurements

Contact

Telephone: +49 (6 41) 8 03-0
Telefax: +49 (6 41) 8 03-139

E-Mail:
sales.sbi@schunk-group.com

Schunk Bahn- und Industrietechnik GmbH

Hauptstrasse 97
35435 Wettenberg
Germany

Telephone: +49 (6 41) 8 03-0
Telefax: +49 (6 41) 8 03-139

www.schunk-sbiw.com